

CEOLED 

Connect innov



SOLUTIONS DE DIGITALISATION
OBJETS CONNECTÉS

CEOLED Display **OLED** 

CONNECTINNOV EXCLUSIVE DISTRIBUTOR OF CEOLED IN FRANCE



OLED

Multiple styles of OLED-T covering multiple fields



U-55"



L-55"



ROULANT-55"



K-30"



E2-55"



I-55"



R-55"



E4-55"


* For more product models, please contact CONNECTINNOV sales team.



V-30"



H-55"



T-30"



D-55"



Y-55"

Enterprise Exhibition



Retail



Museum



Rail Transit



At Home



**OLED -T
value**

The openness of the office environment

Touchable interaction, providing more information

Spatial openness

Catch consumer's attention
Enhance brand image

Innovative Digital Experience

Deliver Information

The screen provides effective content

Open a new chapter of future travel

Reflecting a high-end decorative effect

As a part of decoration, the smart wall can save space.

Usage Scenario

Office

**Conference room
Exhibition hall**

Department store

**Shopping center
Retail store \ 4S store**

Museums

Art Galleries

Subway Car Window

Metro Automatic Door

Transparent display

Smart home communication terminal



Enterprise Exhibition

Improve the openness of the office space, enhance the product display effect and corporate image.





Retail

Maintain a sense of open space , Attract consumer's attention
Enhance brand image through high-end decoration





Museum

Improve the audience's participation and sense of experience, adding technological content and attractiveness to the museum.





Rail Transit


Transparent car window screen, opening a new chapter in travel





At Home

OLED transparent screens will decorate the home with a sense of luxury and enhance the value of the building.



CEOLED Display

TRANSPARENT TOUCH TOTEM-U- 55"

- ▶ *55" Size*
- ▶ *Full HD Resolution (1920 x 1080)*
- ▶ *40% light transmissivity*
- ▶ *Dual-Column Stand Design for Stability and Style*
Ultra-Narrow Bezel for Seamless Visual Experience

Product Highlights

The "55-inch AI Touch Transparent OLED Totem" is a cutting-edge display solution that combines the latest in transparent OLED technology with artificial intelligence, offering a truly interactive and futuristic experience.

This display is designed to captivate users with its intelligent interaction capabilities and sleek aesthetic, making it a perfect fit for high-end retail spaces, interactive exhibitions, and smart office environments.



Specifications

Model	TRANSPARENT TOUCH TOTEM-U- 55"
<i>Size</i>	55"
<i>Display Resolution</i>	Full HD (1920 x 1080)
<i>Peak White Brightness</i>	400 cd/m ²
<i>Video Inputs</i>	HDMI x1, Display Port x1
<i>Control</i>	Capacitive touch, RS-232, USB, LAN
<i>Transmissivity</i>	40%
<i>Viewing Angle (typical)</i>	178° H,V
<i>Contrast Ratio (typical)</i>	>10 0 k :1
<i>Response Time (typical)</i>	<1 ms
<i>Palette</i>	1.073 billion colors (10-bit)
<i>Product size</i>	724 * 1809 * 60 (mm)
<i>Weight (package)</i>	45kg/66 kg 99 lbs/ 145.2 lbs
<i>Power Requirements</i>	100 to 240V AC
<i>Power Consumption</i>	<280W

For more information, click to visit: <https://ecranstransparents.fr/>

CEOLED Display

TRANSPARENT TOUCH TOTEM-L- 55"

- ▶ *55" Size*
- ▶ *Full HD Resolution (1920 x 1080)*
- ▶ *40% light transmissivity*
- ▶ *Exclusive for High-End Art Exhibitions*
- ▶ *Floor standing*



Product Highlights

Exclusive for High-End Art Exhibitions: The TRANSPARENT TOUCH TOTEM-L- 55" is designed with the elite art world in mind. Its superior image quality and unique display capabilities make it an ideal choice for showcasing artworks.

The vivid clarity and true-to-life color representation of this display ensure that each piece of art is presented in its full glory, captivating the viewers and elevating the overall Product Highlights exhibition experience.



Specifications

Model	TRANSPARENT TOUCH TOTEM-L- 55"
<i>Size</i>	55"
<i>Display Resolution</i>	Full HD (1920 x 1080)
<i>Peak White Brightness</i>	400 cd/m ²
<i>Video Inputs</i>	HDMI x1, Display Port x1
<i>Control</i>	Capacitive touch, RS-232, USB, LAN
<i>Transmissivity</i>	40%
<i>Viewing Angle(typical)</i>	178° H,V
<i>Contrast Ratio(typical)</i>	>10 0 k :1
<i>Response Time(typical)</i>	<1 ms
<i>Palette</i>	1.073 billion colors (10-bit)
<i>Product size</i>	1781*772*361(mm)
<i>Weight(package)</i>	71/90 kg 156.2lbs/198lbs
<i>Power Requirements</i>	100 to 240V AC
<i>Power Consumption</i>	<280W

CEOLED Display

TRANSPARENT TOUCH TOTEM-A- 55"

- ▶ *55" Size(FHD)*
- ▶ *8-Hour Battery Life*
- ▶ *43% light transmissivity*
- ▶ *600 cd/m² High-Brightness OLED Screen*
- ▶ *Automatic obstacle avoidance*
- ▶ *Route planning*

Product Highlights

1. "Smart Robot Integrated with Transparent OLED Technology" - Combines advanced robotics with a transparent OLED display, offering an innovative visual experience.
2. "8-Hour Battery Life" - Ensures prolonged operational capability with an extended 8-hour battery life, supporting continuous use throughout the day.
3. "Automatic Return-to-Base Charging" - Features intelligent self-navigation back to the charging station, ensuring the device is always ready for use.



Specifications

Model	TRANSPARENT TOUCH TOTEM-A- 55"
<i>Size</i>	55"
<i>Display Resolution</i>	Full HD (1920 x 1080)
<i>Peak White Brightness</i>	600 cd/m ²
<i>Video Inputs</i>	HDMI x1, Display Port x1
<i>Control</i>	Capacitive touch, RS-232, USB, LAN
<i>Transmissivity</i>	43%
<i>Viewing Angle (typical)</i>	178° H,V
<i>Contrast Ratio (typical)</i>	>10 0 k :1
<i>Response Time (typical)</i>	<1 ms
<i>Product size</i>	1775 * 770 * 572 (mm)
<i>Battery Life</i>	6-8hours
<i>Weight (package)</i>	113.5kg (249.7 lbs)
<i>Power Requirements</i>	100 to 240V AC
<i>Power Consumption</i>	<260W

CEOLED Display

TRANSPARENT TOUCH TOTEM-K- 30"

- ▶ *30" Size*
- ▶ *Resolution (1366 x 768)*
- ▶ *43% light transmissivity*
- ▶ *EU Design Patent Certified from March 2024*
- ▶ *G+F+F*

Product Highlights

1.Sleek Curved All-Glass Design - The product features an elegant, all-glass body with a smooth, curved design, offering a modern and sophisticated aesthetic.

2.EU Design Patent Certified- The product's unique appearance and design are protected under an EU design patent, ensuring its exclusivity and innovation in the market.



Specifications

Model	TRANSPARENT TOUCH TOTEM-K- 30"
<i>Size</i>	30"
<i>Display Resolution</i>	1366 x 768
<i>Peak White Brightness</i>	600 cd/m ²
<i>Video Inputs</i>	HDMI x1, Display Port x1
<i>Control</i>	Capacitive touch, RS-232, USB, LAN
<i>Transmissivity</i>	43%
<i>Viewing Angle (typical)</i>	178° H,V
<i>Contrast Ratio (typical)</i>	>10 0 k :1
<i>Response Time (typical)</i>	<1 ms
<i>Palette</i>	1.073 billion colors (10-bit)
<i>Product size</i>	604 * 1709 (mm)
<i>Weight (package)</i>	35 KG/55KG 77 lbs/ 121 lbs
<i>Power Requirements</i>	100 to 240V AC
<i>Power Consumption</i>	<10 0 W

CEOLED Display

TRANSPARENT TOUCH TOTEM-2E- 55"

- ▶ 2 x 55" Size
- ▶ Full HD Resolution (1920 x 2160)
- ▶ 40% light transmissivity
- ▶ Sleek Aluminum Alloy Frame Design



Product Highlights

1x2 55-Inch OLED Video Wall Setup: features a unique 1x2 setup, consisting of two 55-inch transparent OLED panels seamlessly combined to create a larger display area.

This configuration not only maximizes the use of space but also enhances the visual continuity across the screens, creating a singular, expansive canvas for displaying content.



Specifications

Model	TRANSPARENT TOUCH TOTEM-2E- 55"
Size	2 x 55"
Display Resolution	1920 x 2160
Peak White Brightness	400 cd/m ²
Video Inputs	HDMI x1, Display Port x1
Control	Capacitive touch, RS-232, USB, LAN
Transmissivity	40%
Viewing Angle (typical)	178° H,V
Contrast Ratio (typical)	>10 0 k :1
Response Time (typical)	<1 ms
Palette	1.073 billion colors (10-bit)
Product size	120% of NTSC
Weight (package)	
Power Requirements	100 to 240V AC
Power Consumption	<60 0 W

CEOLED Display

TRANSPARENT TOUCH TOTEM-I- 55"

- ▶ 55" Size
- ▶ Full HD Resolution (1920 x 1080)
- ▶ 40% light transmissivity
- ▶ Automated Lifting Mechanism



Product Highlights

Automated Lifting Mechanism: At the heart of the TRANSPARENT TOUCH TOTEM-I- 55"’s design is its automated lifting mechanism, which allows the screen to be smoothly raised or lowered with the touch of a button.

This feature not only adds a dramatic flair to presentations and displays but also offers practical benefits in terms of space management and device protection. When not in use, the screen can be retracted into its base, minimizing its physical footprint and safeguarding the screen from potential damage.



Specifications

Model	TRANSPARENT TOUCH TOTEM-I- 55"
<i>Size</i>	55"
<i>Display Resolution</i>	Full HD (1920 x 1080)
<i>Peak White Brightness</i>	400 cd/m ²
<i>Video Inputs</i>	HDMI x1, Display Port x1
<i>Control</i>	Capacitive touch, RS-232, USB, LAN
<i>Transmissivity</i>	40%
<i>Viewing Angle(typical)</i>	178° H,V
<i>Contrast Ratio(typical)</i>	>10 0 k :1
<i>Response Time(typical)</i>	<1 ms
<i>Palette</i>	1.073 billion colors (10-bit)
<i>Product size</i>	1438*330*990(mm)
<i>Weight(package)</i>	81.5 kg (179.3 lbs)
<i>Power Requirements</i>	100 to 240V AC
<i>Power Consumption</i>	<60 0 W

CEOLED Display

TRANSPARENT TOUCH TOTEM-I- 55"

55-Inch Transparent OLED Display for Real Estate Showcasing

- ▶ *55" Size*
 - ▶ *Full HD Resolution (1920 x 1080)*
 - ▶ *40% light transmissivity*
 - ▶ *Tailored for Real Estate Scale Models*
-



Product Highlights

The "55-Inch Transparent OLED Display for Real Estate Showcasing" is a groundbreaking solution designed specifically for the dynamic needs of the real estate industry.

Its innovative features enhance the presentation of scale models and architectural designs, offering a captivating and interactive way to visualize future projects.

This product integrates cutting-edge technology with a sophisticated design to create an immersive viewing experience for potential clients.



Specifications

Model	TRANSPARENT TOUCH TOTEM-I- 55"
Size	55"
Display Resolution	Full HD (1920 x 1080)
Peak White Brightness	400 cd/m ²
Video Inputs	HDMI x1, Display Port x1
Control	Capacitive touch, RS-232, USB, LAN
Transmissivity	40%
Viewing Angle(typical)	178° H,V
Contrast Ratio(typical)	>10 0 k :1
Response Time(typical)	<1 ms
Palette	1.073 billion colors (10-bit)
Product size	2002*810*810(mm)
Weight(package)	81.5 kg (179.3 lbs)
Power Requirements	100 to 240V AC
Power Consumption	<60 0 W

CEOLED Display

TRANSPARENT TOUCH TOTEM-4E- 55"

- ▶ 4 x 55" Size
- ▶ Full HD Resolution (3840 x 2160)
- ▶ 40% light transmissivity
- ▶ Ultra-Narrow Bezel Design



Product Highlights

55-Inch 2x2 Seamless Transparent OLED Video Wall: ultra clear, Space-Saving Design stands at the forefront of display technology, embodying the perfect blend of aesthetic minimalism and high performance

Designed to captivate and impress, this video wall is an ideal solution for premium retail locations, corporate headquarters, and any space where visual communication is paramount.



Specifications

Model	TRANSPARENT TOUCH TOTEM-4E- 55"
Size	4 x 55"
Display Resolution	UHD (3840 x 2160)
Peak White Brightness	400 cd/m ²
Video Inputs	HDMI x1, Display Port x1
Control	Capacitive touch, RS-232, USB, LAN
Transmissivity	40%
Viewing Angle (typical)	178° H,V
Contrast Ratio (typical)	>10 0 k :1
Response Time (typical)	<1 ms
Palette	1.073 billion colors (10-bit)
Product size	120% of NTSC
Weight (package)	
Power Requirements	100 to 240V AC
Power Consumption	<30 0 W

CEOLED Display

TRANSPARENT TOUCH SCREEN– V-30”

- ▶ 30” Size
- ▶ Resolution (1366 x 768)
- ▶ 43% light transmissivity
- ▶ G+F+F



Product Highlights

The "30 Inch Transparent Touchscreen Desktop Display" is a revolutionary product that combines advanced interactive technology with a compact, transparent design.

Aimed for providing an engaging user experience while accommodating space-conscious setups, this display represents a leap forward in desktop display technology.



Specifications

Model	TRANSPARENT TOUCH SCREEN– V-30"
<i>Size</i>	30"
<i>Display Resolution</i>	1366 x 768
<i>Peak White Brightness</i>	600 cd/m ²
<i>Video Inputs</i>	HDMI x1, Display Port x1
<i>Control</i>	Capacitive touch, RS-232, USB, LAN
<i>Transmissivity</i>	43%
<i>Viewing Angle (typical)</i>	178° H,V
<i>Contrast Ratio (typical)</i>	>10 0 k :1
<i>Response Time (typical)</i>	<1 ms
<i>Palette</i>	1.073 billion colors (10-bit)
<i>Product size</i>	686.1 * 533.8 * 44 (mm)
<i>Weight (package)</i>	6kg/12KG 8.8lbs/26.4lbs
<i>Power Requirements</i>	100 to 240V AC
<i>Power Consumption</i>	<80W

CEOLED Display

TRANSPARENT TOUCH SCREEN— H-55"

- ▶ 55" Size
- ▶ Full HD Resolution (1920 x 1080)
- ▶ 40% light transmissivity
- ▶ Open Cell Design



Product Highlights

The "55-inch Open Cell Transparent OLED Display" is a pinnacle of display innovation, designed to integrate seamlessly into modern environments while providing an unparalleled viewing experience.

This display combines the best of OLED technology with a transparent design, offering a unique blend of visual quality and aesthetic appeal.




Specifications

Model	TRANSPARENT TOUCH SCREEN – H-55"
<i>Size</i>	55"
<i>Display Resolution</i>	Full HD (1920 x 1080)
<i>Peak White Brightness</i>	400 cd/m ²
<i>Video Inputs</i>	HDMI x1, Display Port x1
<i>Control</i>	Capacitive touch, RS-232, USB, LAN
<i>Transmissivity</i>	40%
<i>Viewing Angle (typical)</i>	178° H,V
<i>Contrast Ratio (typical)</i>	>10 0 k :1
<i>Response Time (typical)</i>	<1 ms
<i>Palette</i>	1.073 billion colors (10-bit)
<i>Product size</i>	1225.5*782.4*220(mm)
<i>Weight (package)</i>	34/50KG 74.8 lbs/ 110 lbs
<i>Power Requirements</i>	100 to 240V AC
<i>Power Consumption</i>	<20 0 W

CEOLED Display

TRANSPARENT TOUCH SCREEN – T-30"

- ▶ 30" Size
- ▶ Resolution (1366 x 768)
- ▶ 43% light transmissivity
- ▶ Video wall design



Product Highlights

1. "30-Inch Video Wall with Flexible N x 1 Configuration" highlights the product's adaptable design, allowing for versatile installation setups to suit different space requirements and visual impact goals.

2. "Versatile Design Applications" - Emphasizes the product's flexibility in design, making it suitable for a wide range of applications and environments, enhancing aesthetic appeal and functionality.



Specifications

Model	TRANSPARENT TOUCH SCREEN – T-30"
<i>Size</i>	30"
<i>Display Resolution</i>	1366 x 768
<i>Peak White Brightness</i>	600 cd/m ²
<i>Video Inputs</i>	HDMI x1, Display Port x1
<i>Control</i>	Capacitive touch, RS-232, USB, LAN
<i>Transmissivity</i>	43%
<i>Viewing Angle (typical)</i>	178° H,V
<i>Contrast Ratio (typical)</i>	>10 0 k :1
<i>Response Time (typical)</i>	<1 ms
<i>Palette</i>	1.073 billion colors (10-bit)
<i>Product size</i>	681*424*147(mm)
<i>Weight (package)</i>	6kg/15KG 8.8lbs/33 lbs
<i>Power Requirements</i>	100 to 240V AC
<i>Power Consumption</i>	<80W

CEOLED Display

TRANSPARENT TOUCH SCREEN– Y-55"

- ▶ 55" Size
- ▶ Full HD Resolution (1920 x 1080)
- ▶ 40% light transmissivity
- ▶ Y-Type Desktop stand



Product Highlights

The "55-Inch Transparent OLED Display with Y-Type Desktop Stand" represents a significant advancement in display technology, blending aesthetic appeal with cutting-edge functionality.

Designed to captivate and inspire, this display is an exemplary choice for those looking to elevate the ambiance of their modern interiors and work space.



Specifications

Model	TRANSPARENT TOUCH SCREEN- Y-55"
<i>Size</i>	55"
<i>Display Resolution</i>	Full HD (1920 x 1080)
<i>Peak White Brightness</i>	400 cd/m ²
<i>Video Inputs</i>	HDMI x1, Display Port x1
<i>Control</i>	Capacitive touch, RS-232, USB, LAN
<i>Transmissivity</i>	40%
<i>Viewing Angle (typical)</i>	178° H,V
<i>Contrast Ratio (typical)</i>	>10 0 k :1
<i>Response Time (typical)</i>	<1 ms
<i>Palette</i>	1.073 billion colors (10-bit)
<i>Product size</i>	1237.5 * 826.4 * 214 (mm)
<i>Weight (package)</i>	34kg/50kg 74.8lbs / 110 lbs
<i>Power Requirements</i>	100 to 240V AC
<i>Power Consumption</i>	<180W

CEOLED Display

TRANSPARENT TOUCH TOTEM-D- 55"

- ▶ 55" Size
- ▶ Full HD Resolution (1920 x 1080)
- ▶ 43% light transmissivity
- ▶ High Brightness 600 cd/m² OLED Panel



Product Highlights

Premium Artifact Display Cabinet is designed not just as a display but as a premium artifact display cabinet that redefines the museum experience. This integration of a 55-inch transparent OLED display into a cabinet allows artifacts to be viewed in unprecedented clarity and detail.

The crystal-clear visibility afforded by the OLED technology means that every nuance of an artifact is visible, from the subtle textures of ancient pottery to the fine brushstrokes on historic.



Specifications

Model	TRANSPARENT TOUCH TOTEM-D- 55"
Size	55"
Display Resolution	Full HD (1920 x 1080)
Peak White Brightness	600 cd/m ²
Video Inputs	HDMI x1, Display Port x1
Control	Capacitive touch, RS-232, USB, LAN
Transmissivity	43%
Viewing Angle (typical)	178° H,V
Contrast Ratio (typical)	>10 0 k :1
Response Time (typical)	<1 ms
Palette	1.073 billion colors (10-bit)
Product size	2002*810*810(mm)
Weight (package)	
Power Requirements	100 to 240V AC
Power Consumption	<60 0 W

Connect innov



SOLUTIONS DE DIGITALISATION
OBJETS CONNECTÉS

Specialist in retail digitalization



CONNECTINNOV



<https://ecrantransparentes.fr>



01 85 09 18 46



michel@ecrantransparentes.fr